

ENG

SR 900 SYSTEM

Sundström 

SR 900 SYSTEM

SR 900 is a completely new system where the user can easily customise the product based on site requirement and needs.

EXCEPTIONAL
FIT WITH HIGH
PERFORMANCE
AND COMFORT

Soft/durable TPE
with wide face seal
surfaces provides a
high level of protection

Low weight.

Three sizes available
to ensure the best
possible fit for most
face shapes.

Elasticated, easily
adjustable head harness
with large crown plate
for a comfortable
secure fit.

Range of
accessories and
service kits available.

Double moulded
TPE/PP mask with a
detachable filter holder
allows you to expand
your own system.

SR 951 & SR 952 HOSE

Single hose SR 951 and twin hose SR 952 are very flexible and offer high durability.

- Hose selection based on site conditions.
- Can be used with a hose protector when welding and grinding.



SR 951



SR 952

SR 900 HALF MASK

Half mask with excellent fit, high protection level and excellent breathing comfort.

- Extremely low inhalation and exhalation resistance reduces wearer fatigue.
- Can be used with filters from the Sundström Safety filter range for negative pressure masks.
- Suitable for use with lighter workloads and lower exposure levels.



SR 905 REMOTE FILTER

Remote filter for connection to SR 900 using single hose SR 951 or twin hose SR 952.

- Hose selection based on work conditions.
- Extremely low inhalation and exhalation resistance reduces wearer fatigue.
- Can be used with filters from the Sundström Safety filter range for negative pressure masks.
- Suitable for use for welders or grinders where visors are used.




SR 951

SR 952

SR 700 BATTERY POWERED PARTICLE FILTER FAN

Battery powered particle filter fan for connection to SR 900 using single hose SR 951 or twin hose SR 952.

- Hose selection based on work conditions.
- Can be used with filters from the Sundström Safety filter range.
- The high airflow improves the user's work conditions when carrying out heavy, hot and long-term work.
- Suitable for use with heavier workloads and greater exposure levels of particles.




SR 951

SR 952

SR 500 BATTERY POWERED FILTER FAN

Battery powered filter fan for connection to SR 900 using single hose SR 951 or twin hose SR 952.

- Hose selection based on work conditions.
- Can be used with filters from the Sundström Safety filter range.
- The high airflow improves the user's work conditions when carrying out heavy, hot and long-term work.
- Suitable for use with heavier workloads and greater exposure levels of particles or gases and fumes.



SR 951

SR 952

SR 507 COMPRESSED AIR ATTACHMENT

Compressed air device SR 507 for connection to SR 900 using single hose SR 951.

- Respiratory device with continuous flow where the air from a compressor is purified through a compressed air filter.
- Suitable for use with heavier workloads and working with contaminants with poor warning properties or where filter protection does not work.



SR 951

SR 307 COMPRESSED AIR ATTACHMENT

Compressed air attachment SR 307 for easy mounting to Half mask SR 900.

- Respiratory device with continuous flow where the air from a compressor is purified through a compressed air filter.
- Suitable for use with heavier workloads and working with contaminants with poor warning properties or where filter protection does not work.



BUY A PRODUCT
GET A SYSTEM



Sundström 
srsafety.com

